

## 80mm 100mm Portable Diesel Fire Pump 173F Fire Fighting Water Pump

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Price:
- Delivery Time: 15-20 workd

China GET

ISO CE

- Payment Terms:
- Negotiable 15-20 workdays LC, T/T, PayPal, Western Union, Smallamount payment, Money Gram



## **Product Specification**

• Туре:	Portable Diesel Fire Pump
<ul> <li>Suction/discharger Port Diameter Mm(inch):</li> </ul>	50(2'). 80(3'). 100(4'). 150(6')
<ul> <li>Discharge Capacity m<sup>3</sup>/h):</li> </ul>	30 40 110 150
<ul> <li>Total Head Lift:</li> </ul>	25m 26m 22m 20m
<ul> <li>Self-priming Time (s/4m):</li> </ul>	80 120 180 180
<ul> <li>Max Suction Head:</li> </ul>	8m 8m 8m 6m
<ul> <li>Rotation Speed (r/min):</li> </ul>	3600
<ul> <li>Noise Level Db(A)/7m):</li> </ul>	85
Overall Dimension(mm):	510x455x640. 560x455x655. 650x470x 770x574x785
<ul> <li>Dry Weight:</li> </ul>	44kg 50kg 71kg 95kg
Engine Model:	GET173F GET178F GET186FA GET19
<ul> <li>Rated Power:</li> </ul>	2.8kw 4kw 6.3kw 8.5kw
• Fuel Consumption G/kw.h:	288 285 281 281
Diaglassant (ang).	0.47 000 440 400

## High Efficiency Portable Fire Pump Diesel Engine Portable Diesel Fire Pump

A portable diesel fire pump is a specialized firefighting equipment designed to provide a reliable and efficient water supply in areas where a permanent water source is not readily available or during emergency situations. It is commonly used by firefighters, emergency response teams, and in industrial settings to combat fires effectively. Here is a description of a typical portable diesel fire pump:

Here is a description of a typical portac	ble dieser nie pump.		
Туре:	Portable Diesel Fire Pump		
Discharge Capacity(m <sup>3</sup> /h):	30 40 110 150		
Self-priming Time (s/4m):	80 120 180 180		
Fuel Consumption G/kw.h:	288 285 281 281		
Starter System:	Recoil Starter		
Suction/discharger Port Diameter Mm(inch):	50(2'). 80(3'). 100(4'). 150(6')		
Total Head Lift:	25m 26m 22m 20m		
Max Suction Head:	8m 8m 8m 6m		
Noise Level Db(A)/7m):	85		
Dry Weight:	44kg 50kg 71kg 95kg		
Rated Power:	2.8kw 4kw 6.3kw 8.5kw		
Displacement (cm <sup>3</sup> ):	247 296 418 498		
Fuel Tank Capacity:	13.5L		
Rotation Speed (r/min):	3600		
Overall Dimension(mm):	510x455x640. 560x455x655. 650x470x700. 770x574x785		
Engine Model:	GET173F GET178F GET186FA GET192F		

Diesel Engine: The fire pump is powered by a diesel engine, which provides the necessary energy to drive the water pump. Diesel engines are preferred for their durability, reliability, and ability to operate for extended periods without refueling. Water Pump: The pump is specifically designed to move large volumes of water at high pressure. It is typically a centrifugal pump, which uses an impeller to create a vacuum that draws water into the pump and then forcefully expels it through the discharge outlet.

Portable Design: The fire pump is built to be easily transported and set up at different locations. It often comes with a sturdy frame or skid, allowing for convenient handling and mobility. Some models may also have wheels or handles for easier maneuverability.

Suction and Discharge Ports: The pump has dedicated ports for water intake (suction) and water discharge. These ports are usually equipped with quick-connect fittings or standard thread sizes to facilitate the connection of hoses and other firefighting equipment.

Control Panel: A control panel is typically mounted on the pump for easy operation and monitoring. It may include controls for starting, stopping, and adjusting the engine speed, as well as gauges or indicators to monitor water pressure, engine temperature, and fuel levels.

Fuel Tank: The fire pump incorporates a fuel tank to store diesel fuel for the engine. The tank capacity varies depending on the specific model, but it is designed to provide sufficient fuel for extended operation without frequent refills.

Safety Features: Portable diesel fire pumps often include safety features to ensure reliable and safe operation. These may include low oil pressure shutdown, high-temperature shutdown, and automatic engine shut-off in case of emergencies. Performance Specifications: The performance of a portable diesel fire pump is typically described by its flow rate and pressure capabilities. It can deliver a high volume of water, usually measured in gallons per minute (GPM), at a specific pressure, often measured in pounds per square inch (PSI), to effectively extinguish fires.

Portable diesel fire pumps are versatile and can be used in various firefighting scenarios, including rural areas, construction sites, remote locations, or any situation where a temporary water supply is required to fight fires effectively.



<b>G</b> ET Wuxi Guangertai Power Machinery Co.,Ltd				
O	13813650506	2415819289@qq.com	e dieselenginepumps.com	
NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA				