

50mm 80mm Portable Fire Pump Diesel Engine Portable Emergency Fire **Pump**

Basic Information

. Place of Origin: China Brand Name: **GET** ISO CE · Certification: Negotiable • Delivery Time: 15-20 workdays

LC, T/T, PayPal, Western Union, Small-Payment Terms:

amount payment, Money Gram



Product Specification

. Type: Diesel Engine Fire Pump Suction/discharger Port 50(2'). 80(3'). 100(4'). 150(6')

Diameter Mm(inch):

• Discharge Capacity m³/h): 30 40 110 150 • Total Head Lift: 25m 26m 22m 20m 80 120 180 180 Self-priming Time (s/4m): Max Suction Head: 8m 8m 8m 6m

• Rotation Speed (r/min): 3600 • Noise Level Db(A)/7m): 85

• Overall Dimension(mm): 510x455x640. 560x455x655. 650x470x700.

770x574x785

• Dry Weight: 44kg 50kg 71kg 95kg

GET173F GET178F GET186FA GET192F • Engine Model:

Rated Power: 2.8kw 4kw 6.3kw 8.5kw

• Fuel Consumption G/kw.h: 288 285 281 281 Disclessor (2003). 047 000 440 400

Product Description

GET Diesel Engine Fire Pump Diesel Engine For Fire Fighting Pump

The portable fire pump is a lightweight and easy-to-carry fire pump suitable for some special or complex fire emergency scenarios. The following are some application scenarios for portable fire pumps:

- 1. Rural and remote areas: In rural and remote areas, firefighting resources are limited and firefighting vehicles are difficult to reach. Portable fire pumps can be easily carried to these areas to provide emergency water sources and fire-extinguishing capabilities, helping local residents carry out initial fire fighting.
- 2. Temporary fire protection systems: Portable fire pumps can be used to set up temporary fire protection systems, especially where there is a lack of fixed water sources or where traditional fire protection equipment is not available. With portable fire pumps, water can be pumped from nearby water sources to establish a temporary water source system to support firefighting efforts.
- 3. The portability and high-pressure capability of the portable fire pump make it an important fire-fighting equipment, which can provide emergency fire-fighting support in special environments and protect people's lives and property.

Model	JBC6/10	
Туре	vacuum pump	
Max.Flow(T/h)	48	
MAX.Lift(m)	60	
Rated Speed(rpm)	3600	
Water Shot Height	35m	
Engine	190F	
Maximum Suction Height(m)	7	
Self-priming Time(S)	20	
Discharge Port Diameter(mm)	65	
N.W/G.W(KG)	91/100	
Dimensions(mm)		
Loading Qty(20GP/40HQ)		
Model	JBC6/15	
Туре	vacuum pump	
Max.Flow(T/h)	54	
MAX.Lift(m)	80	
Rated Speed(rpm)	3600	
Water Shot Height	35	
Engine	192	
Maximum Suction Height(m)	7	
Self-priming Time(S)	20	
Discharge Port Diameter(mm)	65	
N.W/G.W(KG)	94/103	
Dimensions(mm)		
		
Loading Qty(20GP/40HQ)		





13813650506

2415819289@qq.com

e dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA