

# Single Phase Diesel Welder Generator Four Stroke Diesel Welding Machine Generator

### **Basic Information**

Place of Origin: China
Brand Name: GET
Certification: ISO CE
Price: Negotiable
Delivery Time: 15-20 workdays

Payment Terms: LC, T/T, PayPal, Western Union, Small-

amount payment, Money Gram



### **Product Specification**

Rated Frequency: 50hz 60hzRated Power (kw): 2 5

• Rated Voltage (V): 220V Or As Request

Rated Currency (A): 8.7 9.5ARated Rotation Speed 3000 3600

(r/min):

• Phase No.: Single Phase

Power Factor: 1
No Load Welding Voltage: 65-70V
Insulation Grade: F
Pole Number: 2

• Engine Mode: GET186FA GET192F

• Displacement(ml): 418 456

• Engine Type: Single Cylinder, Vertical, Four Stroke, Direct

Injection, Air-cooled

David V Otralia / ------\. 4 00::70/4 00::78

### **Product Description**

#### Single Phase Portable Diesel Welder Generator Open Type

The welding generator has the functions of generating electricity and welding, so it can be used in various application scenarios. Here are some common welding generator application scenarios:

- 1. Construction Sites: On construction sites, welding generators can provide a stable supply of power to power tools, lighting equipment, and other electrical equipment. At the same time, they are also used for welding operations, such as steel structure welding, pipeline welding, etc.
- 2. Agriculture and rural areas: In the agricultural field, welding generators can be used to repair and maintain agricultural equipment and machinery, such as agricultural vehicles, agricultural machinery, etc. In addition, they can provide power supply to rural areas and meet basic electricity needs.
- 3. Emergency maintenance and rescue: Welding generators play an important role in emergency maintenance and rescue. They can provide temporary power supply during power outages or disasters and can be used to repair facilities, rescue trapped people, or perform emergency welding operations.
- 4. Automotive Repair and Maintenance: In the automotive repair and maintenance industry, welding generators are commonly used for body repair and welding of frames or other metal parts. They provide the required current and voltage for performing automotive welding operations.

Rated Power (kw):	25	
Rated Currency (A):	8.7 9.5A	
Phase No.:	Single Phase	
No Load Welding Voltage:	65-70V	
Pole Number:	2	
Displacement(ml):	418 456	
Bore X Stroke (mm):	1-86x72/ 1-92x75	
Rated Power:	5.7 6.3/ 7.2 8.2	
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40	
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel	
Fuel Tank Capacity (L):	13.5	
Rated Welding Current:	180A 220A	
Welding Load Continous Ratio:	60%	
Electrode Diameter:	1.6-3.2mm 1.6-5.0mm	
Rectifying Mode:	Diode	
Overall Dimension:	720x492x655mm	
Dry Weight:	112kg 116kg	
Rated Frequency:	50hz 60hz	
Rated Voltage (V):	220V Or As Request	
Rated Rotation Speed (r/min):	3000 3600	
Power Factor:	1	
Insulation Grade:	F	
Engine Mode:	GET186FA GET192F	
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air- cooled	
Compression Ratio:	19:01	
Lubrication System:	Pressure Splashed	
Lube Capacity (L):	1.65	
Fuel Consumption (g/kw*h):	≤280	
Continuous Running Time:	8h	
Welding Voltage:	25-30V	
Welding Current Adjustment Range:	50-180A/ 50-200A	
Excitation Mode:	Seperate-excitation+AVR Voltage Regulation AVR	
Connection Mode:	Drive Bearing, Rigid Connection	
Structure Type:	Open Type	
	<del>-</del>	



D T Room		OLITHOOD AND	RET/ROOKWY	
MXMX Subclinguing	His		-	
METER Substances	890	1.5	1.1	
MERCHANICATION	- W	TOO II HUMBE		
BEERE RANGEMENT	4	17 95 97 15		
BERT Select speed	otrigo	900 MOS		
600 Phase No.		#6 Sopress		
In 8 Mill Presentante	179.0	1		
O B 40 G Cit For had selding private	W		6.76	
ME Will Said Plates' saiding current	4.	180	486	
REGIS Vening robust	V	26.30	26.80	
GRADENIES Finish had perfect rate		60.		
GREATTER SWITCH SAVE ALABORE STORY		M-180	86-388	
B.R.S. & St. Couloube diameter	100	18-52	18-63	
BREAT DOMO-more		Separate excitator +579 rodings regulator 4579 (\$3)		
MIRAL Performance		□ B B Dobi		
BREAS CHARGES NOT		BERNISSE CINA DRIVING, AGE CONNECTION		
BIRRIE mustakos grada			1	
Bit harveter			t .	
EDREPT Engine Model		GETTERFA.	SCT190F	
EDERSON'S Dispose Types		\$5. 57, \$40. 58, \$44. ft. \$44. \$55. \$65.		
68 Systemate	mi.	6.9	494	
Diff Will have reducing	UMBR .	1.8673	1.0075	
BIES Compressor ratio		1961	1901	
20 Sept. 18 Sept. 16 Radical printers	607	67 63	T2 82	
関東方式 Lubrication system		STARRES Former started		
技術機能可 Labe-of brand		CD year or TAST 109-10. 109-10		
技术由中國 Lab-Septemby	L.	1.00	140	
BEROOT TRANSCIPATED			TEN MARKET STATES	
製化水水管 Better 100×15	9-A5	101-004		
MARKS for type		OR THERE I HOR THERE I BEEN BUILD ON THE PROPERTY OF THE PROPE		
RESERBIGA Functionarytim	prono	120		
REMARKS Francis reporty	i.	11.5	195	
MARKETERS Continue saving time				
Will Suite Invest Top	460	77		
BIGNEZ Shorker type		78	# B Committee	
REPREST Creat diversion	1999	707-90760		
ROBBE Do would	hig	16.0	116	

## **GET** Wuxi Guangertai Power Machinery Co.,Ltd

13813650506



NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA